

BEST AVAILABLE COPY

SEP 20 2004

PATENT

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
(Case No. 02-015)**

In the Application of:

Henry Peter Maria Van Seumeren

Serial No.: 10/030,831

Filing Date: April 29, 2002

**For: Mobile Lifting Device and Weighing
Device Therefor**

Examiner: Randy W. Gibson

Group Art Unit: 2841

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

RESPONSE TO OFFICE ACTION MAILED MAY 25, 2004

Dear Sir:

In response to the Office Action mailed May 25, 2004, Applicant submits the following amendments and remarks.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.